

□□□□□□□□□□ □□ □□□□ □□ □□□□□□

□□□□□□□□□□

□□□□□□□□ □□□□□ □□□□□□ □□□□□□ □□□□□□: □□□□□□ 3000 * 8000 □□□□□, □□□□□ 150 * 300 □□□□□

□□□□□□ □□□□□□ □□□ □□□□□□ □□ □□□ □□□ □□□□□□ □□ □□□□□ beveling, □□□□□□, □□□□□□□□□□, □□□□ □□ □□□□□ □□□□□□ □□□□□ □□□□□□□□

□□□□□□□□□□

- □□□□□□□□/□□□□□ □□□□□□□□□□□□
- □□□□□□□□□□□□□□, □□□□□□□, □□□□□□□ □□□□□□□□□□
- □□□□□□ □□□□□□□□□□, □□□□□□□□□□, □□□□□ □□□□□□□□
- □□□□□□□□ □□□□□□□□□□□ □□□□□□□□□□□□□□□□□
- □□□□□□□□□□, □□□□□□□□□□□□□□, □□□□□□
- □□□□□□ □□□□□□□□□□, □□□□□□□□□□, □□□□□ □□□□□□□□□□
- □□ □□□□□□□□□□

□□□□□□□□□□ □□□□□

□□□□□□□ □□□□□□□□ GB15763.3, □□□□□ □□□□□

EN12543 □□ □□□□□□□□, □□□□□□□□□ □□□□□

□□□□□□□ □□□□□□□□□□ ANSIZ97.1, □□□□□□□□□ □□□□□

□□□□□□□ □□□□□□□□□□ AS / NZS2208, □□□□□□□□□□□□□□□□ □□□□□

21.52 □□□□□ □□□□ □□□ □□□□□□□□□□ □□□□□□□□□□□□□□□□ □□□□□



□□ □□□□ □□ □□□□ □□ □□□



Float Glass broken into sharp pcs easy hurt human



Tempered Glass broken into alveolate granules human harmless



Tempered Laminated Glass

Broken stick on PVB, human harmless



Float Laminated Glass

Broken stick on PVB, human harmless

□□□□□□ □□□□□□ □□ □□□□ □□□□□□ □□□□□□ □□□□□□



□□□□□□ □□ □□□□ □□ □□□□ □□ □□□□□□ □□□□□□ □□□□□□ □□□□□□

