


3) 2 types of glass, 3 types of glass

types of glass, types of glass, types of glass



CLEAR FLOAT GLASS

Brief Introduction
 Clear Float glass is the most basic product for most all common glass products. It is derived from the manufacturing process where molten glass is spread from the furnace and floated evenly onto a bed of molten tin. The glass is gently cooled under controlled conditions to anneal the glass which enables the glass to be cut and finished.

Characteristics

- Optical clarity with high light transmission
- Smooth and distortion free flat surface
- Easily fabricated (by cut, tempered, laminated, etched, etc.)
- Flexible specification to reduce stock loss

Specifications
 Thickness: 3mm, 3.5mm, 4mm, 5mm, 6mm, 8mm, 10mm, 12mm, 15mm, 19mm, 22mm, 25mm, 30mm, 33mm, 36mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm, 95mm, 100mm, 105mm, 110mm, 115mm, 120mm, 125mm, 130mm, 135mm, 140mm, 145mm, 150mm, 155mm, 160mm, 165mm, 170mm, 175mm, 180mm, 185mm, 190mm, 195mm, 200mm, 205mm, 210mm, 215mm, 220mm, 225mm, 230mm, 235mm, 240mm, 245mm, 250mm, 255mm, 260mm, 265mm, 270mm, 275mm, 280mm, 285mm, 290mm, 295mm, 300mm, 305mm, 310mm, 315mm, 320mm, 325mm, 330mm, 335mm, 340mm, 345mm, 350mm, 355mm, 360mm, 365mm, 370mm, 375mm, 380mm, 385mm, 390mm, 395mm, 400mm, 405mm, 410mm, 415mm, 420mm, 425mm, 430mm, 435mm, 440mm, 445mm, 450mm, 455mm, 460mm, 465mm, 470mm, 475mm, 480mm, 485mm, 490mm, 495mm, 500mm, 505mm, 510mm, 515mm, 520mm, 525mm, 530mm, 535mm, 540mm, 545mm, 550mm, 555mm, 560mm, 565mm, 570mm, 575mm, 580mm, 585mm, 590mm, 595mm, 600mm, 605mm, 610mm, 615mm, 620mm, 625mm, 630mm, 635mm, 640mm, 645mm, 650mm, 655mm, 660mm, 665mm, 670mm, 675mm, 680mm, 685mm, 690mm, 695mm, 700mm, 705mm, 710mm, 715mm, 720mm, 725mm, 730mm, 735mm, 740mm, 745mm, 750mm, 755mm, 760mm, 765mm, 770mm, 775mm, 780mm, 785mm, 790mm, 795mm, 800mm, 805mm, 810mm, 815mm, 820mm, 825mm, 830mm, 835mm, 840mm, 845mm, 850mm, 855mm, 860mm, 865mm, 870mm, 875mm, 880mm, 885mm, 890mm, 895mm, 900mm, 905mm, 910mm, 915mm, 920mm, 925mm, 930mm, 935mm, 940mm, 945mm, 950mm, 955mm, 960mm, 965mm, 970mm, 975mm, 980mm, 985mm, 990mm, 995mm, 1000mm.

Applications
 Construction, interior glass, furniture, optical instrument, etc.

Quality Standard
 Conformance with ISO 9014, BS EN752, European standard, ASTM C 108 USA standard.



Clear Float Glass

Tinted Float Glass

Brief Introduction
 Tinted Float Glass is produced by adding metal oxides during the manufacturing of clear float glass. Tinted glass absorbs and re-radiates solar energy reducing heat, providing most efficient climate control. It also reduces sun glare and is aesthetically appealing.

Characteristics

- Low UV transmittance rate and good sunlight efficiency
- Protecting furniture and furnishings from fading
- Reducing solar glare and heat transmission
- Provides varied degrees of solar control and energy saving
- Can be cut, bent, laminated, heat strengthened and tempered

Specifications
 Thickness: 4mm, 5mm, 6.5mm, 8mm, 10mm, 12mm, etc.
 Size: 2140x3300mm, 2250x3300mm, 2140x4000mm, 2440x4000mm, 2140x2600mm, 2440x3000mm, etc.
 Color: Euro Bronze, Dark Grey, Euro Grey, Dark Green, F-Green, Dark Blue, Ford Blue, Black, etc.

Applications

- External use of windows, doors, balcony, curtain wall, etc.
- Interior glass screens, partitions, balustrades, etc.
- Furniture like table tops, shelves, etc.



Anti-Glare Glass



□□□□ □□□□ □□□□ □□□□□□ □□□□□□:

