

SGP 27.04 33.04 41.04 SGP

SGP

SGP ... SG, ... facades

SGP

- 1.
2.
3.5xstronger PVB
4.100xstiffer PVB
5.Storm/Cyclone/Impact/Blast
6.
7.

SGP

SGP ... lightsome

- 1.Safety: SGP interlayer
2. interlayer
3. 99%

SGP

- 1.Size: 3000 * 5000, 300 * 300

SGP

2.Thickness: 6 mm, 8 mm, 10 mm, 12 mm, 15 mm, 19 mm, 22 mm, SGP thickness 0.89 mm, 1.52 mm, 2.28 mm, 3.04 mm, various substrates are available

3. Surface treatment: smooth surface, anti-static surface, anti-scratch surface, various patterns, various colors, low-e surface, etched surface, [screen-printed surface](#), etc.

SGP can be used in various applications such as skylights, facades, canopies, walkways, etc. It is a high-strength, high-impact-resistant material that can be used in a wide range of environments.

SGP applications and uses

SGP is used in various applications, including skylights

SGP is used in various applications, including facades

SGP is used in various applications, including facades and canopies

SGP is used in various applications, including walkways and stairs

SGP is a high-strength, high-impact-resistant material. **Jimmy Glass** is a leading manufacturer of SGP.


1. SGP is a high-strength, high-impact-resistant material.

2. SGP is a high-strength, high-impact-resistant material.


3. SGP, a high-strength, high-impact-resistant material, is used in various applications, including skylights, facades, canopies, walkways, etc. It is a high-strength, high-impact-resistant material that can be used in a wide range of environments.

4. Thickness 13.52 mm, 17.52 mm, various 21.52 mm, 27.04 mm 33.04 mm 41.04 mm, etc. customized SGP thickness and color are available

SGP is a high-strength, high-impact-resistant material. [Jimmy Glass](#) is a leading manufacturer of SGP.



SGP 00 00000 000000 000000 000 000000



☐☐ **JIMY Glass** ☐☐☐☐☐☐ ☐☐☐☐☐☐☐☐

