

Glazing System Specification

Glazing System Specification Jimy Glass  
1. The glazing system consists of 1 pane of glass and 2 panes of glass with a 4mm gap between them.

The glazing system consists of 1 pane of glass and 2 panes of glass with a 4mm gap between them.

Materials

The glazing system consists of 1 pane of glass and 2 panes of glass with a 4mm gap between them.

The glazing system consists of 1 pane of glass and 2 panes of glass with a 4mm gap between them. The glass is 620mm wide and 3 meters high.

The glazing system consists of 1 pane of glass and 2 panes of glass with a 4mm gap between them. The glass is 450mm wide and 1650mm high.

Dimensions

The glazing system consists of 1 pane of glass and 2 panes of glass with a 4mm gap between them. The glass is 4 + 4mm + 5mm + 6mm + 8mm + 10mm + 12mm + 15mm + 19mm wide.

The glazing system consists of 1 pane of glass and 2 panes of glass with a 4mm gap between them. The glass is 450mm wide and 1650mm high.

The glazing system consists of 1 pane of glass and 2 panes of glass with a 4mm gap between them.

The glazing system consists of 1 pane of glass and 2 panes of glass with a 4mm gap between them. The glass is low-e.

The glazing system consists of 1 pane of glass and 2 panes of glass with a 4mm gap between them.

The glazing system consists of 1 pane of glass and 2 panes of glass with a 4mm gap between them. The glass is 100% UV protected and 1mm thick.

The glazing system consists of 1 pane of glass and 2 panes of glass with a 4mm gap between them.







□□□□□





□□□□□□□□□□□□

