Good Price 12124 tempered laminated glass Shenzhen factory

25.52mm Safety Laminated Glass is made up of two layers of <u>12mm clear glass</u> permanently bonded together with 4*0.38mm PVB via a controlled, highly pressurized and industrial heating process. It is the Grade A Safety Glass, meet European standard, passed CE certified.

Characteristic of 25.52mm toughened laminated glass

- 1. Customized size.
- 2.Glass type:clear glass,ultra clear glass,tinted glass,reflective glass,silk-screen printed glass,frosted glass,etc.
- 3. Special processing: holes, cut out, polish edge, bevel edge, etc. all need to be done before tempering.
- 4.PVB color: any pantone colors available.

25.52mm tempered laminated glass,25.52mm safety glass balustrade,25.52mm security glass office partition wall,25.52mm glass skylight
safety,anti-UV,soundproof,multi-colors,color can be customized according to any pantone colors
Flat tempered laminated glass or Curved tempered laminated glass
Holes,cut out,drilling,beveling,etc.all should be done before tempering
3000*8000mm
Clear float glass,ultra clear glass,tinted glass,reflective glass,silkscreen printing glass,frosted glass,patterned glass,etc.
within 7-15 days after the order is confirmed
high light transmittance, high precise flatness, no bubble, no scratch, CE Certified
Fresh new strong export plywood
We buy it for you freely to make sure smoothly business


Advantages of 12124 tempered laminated glass

- ***Safety/Security:when the laminated glass be attacked by outside force,the glass will not drop down, PVB film has strong tenacity and can absorb and weaken a mass of striking energy,and the laminated glass to be tempered,the glass will be more stronger,to make sure the much safety.
- ***Sound Insulation: PVB film can effectively prevent sound wave,to prevent the voice between outside and inside.
- ***Anti-UV: Laminated glass can effectively present UV.
- ***Dynamic colors: Color laminated glass offers total flexibility, providing the personal touch for unique colors and aesthetics, also affords different levels of translucency for visual screening.


Applications of 25.52mm tempered laminated glass

Widely used for balustrade, handrail, skylight, elevators, Safety Glazing Applications.

JIMY GLASS 12124 Tempered Laminated Glass For Sale



25.52mm Toughened Laminated Glass Wholesale



Jimy Glass Tempered Laminated Glass



Production line of laminated glass by JIMY GLASS

