00 000 8.38 000 00000 00000 000 F-0000 pvb 0000000

8.38 ___ F-___ pvb ___ __ __ __ __ __ __ __

000000 00 000	8.38 0000 F-00000 PVB 000000 000000 000
	2 3 4 5 6 0000 8 0000 10mm 12 0000 15 0000 19 0000 0000 0000 0000
	00000, 000000 00000, 0000, 000, 0000, 000000

PVB 🔲	000, 0000, 0000, F-00000, 0000 00 pantone 000
PVB 🔲 🔲 🖂	0.38 0.38
	00000 00000, heatproof 00000, 000000 00000 00000, 000
Stardard [][]	1830x2440mm, 2134x3300mm, 2250x3300mm, 2440x3660mm, [][][][][][][][][][][][][][][][][][][]
	0000 00 000 7-15 00000 00 0000 00 000000 00
0000 000	8.38 0000 000 0000, 000000 000000 000 441 0000000 F-00000 pvb 00 000

- 00000, 000000, 0000, 00000
- 00 0000

- 1. 0000 0000, CCC, CE, EN12543, 00 ANSI Z97 00 000 0000

- 3. 0000 000000 000000 000 00000
- $4.\ 000000\ 000000\ 000000\ 000\ 00000$
- 5.F-0000 00000 00000 000
- $6.\ 0000\ 000000\ 000000\ 000\ 000$
- 000 00 0000 pantone 000 PVB 00000 000000 000000 000 000 00

8.38 0000 F-00000 PVB 00 000 00000 000000 000







