□□□□□□□□□□□□ □□□□□□ □□□□□□ □□□ □□□□□ □□□□□□ □□ □□□, □□□□□□□ □□□□ □□□□□□ □□□□□□ □□□ □□□□□ □□□□, □□□□□□ □□□□□□ □□□ □□□□□□□□ □□□□□□ / □□□ □□□□□ □□□□□ □□ □□□□□□ □□ □□□□

□□□□□□ □□□□□□ □□□ □□□□ □□□□□□□ □□□□ □□ □□□□□□□□ led, □□□□□□□ □□□□ □□ □□□□□□□□ □□□□□□ □□□□□□□□□ □□ □□□□□□ □□ □□ □□□□□□□□ (PVB / EVA) □□ □□□ □□□□□□ □□□ □□ □□□□ □□□□ □□ □□ □□ □□□□ □□□□□ □□ □□□□□ □□□□ □□□ □□□□ □□ □□ □□□ □□□□ □□□□, □□□□□□□□□□□□ □□□□□□□□ □□ □□□□ □□□□□ □□ □□□□□□ □□□□□ □□□□□ □□□□ □□ □□□□□□ □□□□□□ □□ □□□□□□□ □□□□ □□ □□□ □□□ □□□□□□□□ □□□□ □□□□ □□□ □□□□ □□□□□□ □□ □□□□□ □□ □□□□□ □□□, □□□□□□ □□□□□□ □□□ □□□□□ □□□ □□□□ □□□□ □□□□ □□□□ □□□

□□□ □□□□□ □□□□□□□□□□ □□□□□ □□ □□□□□□ □□□□□ □□□□□□□□□ □□□□□ □□ □□□ □□□□**?**

	PVB Film laminated glass	EVA film laminated glass
Processing, storage conditions	Storage conditions are temperature (18-22℃),humidity (25%-40%),especially for the humidity requirements are very strict, Producing need high temperature (120-140℃)and high pressure (1.0-1.5MPa),mostly with autoclave equipment.	Storage conditions are relatively low, the temperature does not exceed 30 ℃, humidity can be less than 80%, the film requirements of the equipment is also low, Vacuum degree of ≥ 700mmHg (0.092Mpa), the temperature is 100-110 ℃ .
Process time	longer than EVA, energy consumption is also large.	Low ,energy consumption is also small.
Glass cost	PVB laminated glass can be produced in bulk quantity like more than 1000sqm one time,laminated machine expensive.	EVA laminated glass just several square one time, laminated machine cost cheaper.
Anti-aging performance	PVB anti-aging performance,impact resistance stronger than EVA.	EVA anti-aging performance,impact resistance stronger less than PVB.

□□□□ □□ □□□□□□ □□□□□□ □□ □□□□□□□

1 □ □□□□ □□□□□□□

□□ □□□□□□ □□□□□□ □□□ □□□□ □□ □□□□□ □□ □□ □□□□ □□□□ □□□□ □□, □□ □□□□ □□□□□□ □□□□□□□ □□ □□□□ □□ □□□□□□□ PVB / EVA □□□□□□□□ □□□□□ □□□ □□□□□ □□ □□□□ □□ □□ □□□□□□□ □□□□□ □□ □□□□□□□□□ □□ □□□□□□□ □□ □□□□□ □□ □□□□ □□□ □□□□ □□ □□ □□□ □□ □□□ □□□ □□, □□ □□□□□□□□□□□□ □□□□□□□□ □□ □□□□ □□□□□ □□ □□□□□□□ □□□□□

2 □ □□□□□ □□□□□□□□□

□□□□□□□□ □□□□□ □□□□□□□□□ □□□□□ □□ □□□□□□ □□ □□□□□□□□ □□□□□□□ □□ □□ □□ □□□□□ □□□□□□ □□ □□□□□□□ □□ □□□□ □□□ □□□□□, □□ □□ □□□□□ □□ □□□ □□□□□ □□□□□ □□ □□□□□ □□□ □□□□□□□□□ □□□□□□ □□□□□ □□□□□ □□□□□ □□□□□□□□□ □□□□□□□□ □□□□□□ □□□□ □□□

3, □□□□□□ □□□□□□□□□

□□□□□□□ □□□□□□ □□□□□□ □□□ □□□□□ 99% □□□ □□□□□□□□□ □□□□□□ □□ □□□□□□□ □□ □□□□ □□□ □□ □□□□□□□ □□ □□□□□□□□ □□ □□□□□ □□ □□□□□ □□□

4, □□□□□ □□ □□□

□□□□□□□□ □□□□□ □□ □□□□□□ □□□□□□ □□□ □□□□□ □□□ □□□□□ □□ □□□□□ □□ □□□□□ □□□□ □□ □□ □□□□□ □□□ □□ □□ □□□□ □□□

5 building □□□□□□□ □□ □□□ □□□□□□□ □□□ □□□□□

□□ □□□□ □□□ □□□□□□□□ □□ □□□ □□□□□□ □□□□□□ □□□ □□□□□ □□□□□□□ □□ □□□□□□□ □□□□□ □□ □□□□□ □□ □□□□□□□ □□ □□□ □□□□ □□□□□□□□ □□ □□□□□□□□ □□□□□ □□ □□□□□□□□□□ □□ □□□□ □□ □□□□ □□□□ □□□□

□□□□□□□□□□

Glass name:	laminated tempered PVB/EVA glass
Single glass thickness:	2mm 3mm 4mm 5mm 6mm 8mm 10mm 12mm 15mm 19mm etc
Glass color:	clear, ultra clear, grey, green, blue, bronze etc.
PVB thickness:	0.38mm, 0.76mm, 1.14mm, 1.52mm, 1.9mm, 2.28mm, etc.PVB / EVA.
PVB color:	red, white, yellow, any pantone color.
Glass type:	annealed or toughened laminated glass in clear, tinted, reflective, low Iron, etched, screen printing curved laminated glass and Low E combinations.
Sample Supply:	Accept free sample order

□□□□□

• □□□□□□□ / □□□□□□ □□□□□□□□□□
• □□□□□□□□□, □□□, □□□□□□ □□□□□□□
• □□□□□□□ □□□□□, □□□□, □□□□□□□□
• □□□□□□□ □□□□□□□□□ □□□□□□□□□
• □□□□□, □□□□□□□, □□□□
• □□□□□□ □□□□□□, □□□□□□□□ □□□, □□□□, □□□□□□
• □□□□□ □□□□□□□, □□□□□□□□□□, □□□□ □□□□□□□
• □□ □□□□□

Pvb □□□□□□ □□□□□□ □□□ □□□□, □□□□□□ □□□□□□ □□□□□□ □□□ □□□□, □□□ □□□□□□ □□□□□□ □□□ □□□□ □□ □□□□□□ □□□□□□□□ □□□□□□□□□ □□□□□, □□□□□□□□□□□ □□□□□□□□□ □□□□□ □□□□


JIMY

□□□□□ □□□□□□ □□□□□□ □□□ □□□□, □□□□□□ □□□ □□□□□□ □□□□□□ □□□ □□□□□ □□□ □□ □□□ □□□ □□□□□□ □□□□□□ □□□ □□□□□ □□ □□□□□□



□□□ □□□□□□ □□□□□□ □□□ □□□ □□□□□ □□□□□ □□□□□
□□□□□: □□□□□□ □□ □□□□□□ □□ □□□ & □□□□□□, □□□□□□ □□□□□ □□□□□□□, □□□□ □□□□□□ □□□□□□ □□□□ □□ □□□□□□□ □□ □□□□



□□□□□□□ □□□□□□□ □□□ **PVB** □□□□□ □□□□□ □□□□□□□□□

Safety
Protection
Sound Proofing
Glass
Interlayer film (PVB)

□□□□□□ □□□□

□□□□□□