

HST 88.4 1010.4 laminated tempered safety glass wholesale price

HST 88.4 [1010.4 tempered laminated glass](#), 17.52mm 21.52mm heat soaked laminated safety glass, which is produced by 2pcs of 8mm/10mm heat soaked tempered glass with 4 layers of PVB interlayer or 2 layers of SGP interlayer. It is the most safety glass, soundproof, anti-UV, widely used for skylight, balustrade, curtain wall.

Characteristic of 17.52mm 21.52mm heat soaked laminated glass

1. Glass composition: 8mm 10mm HST tempered glass + 4 *0.38mm PVB interlayer + 8mm 10mm HST toughened glass, or 8mm 10mm heat soaked toughened glass + 1.52mm SGP interlayer + 8mm 10mm heat soaked toughened glass
2. Single glass thickness: except for 8mm 10mm HST tempered glass, other thickness available in [12mm heat soaked tempered glass](#), 15mm heat soaked toughened glass, 19mm heat soaked tempered glass, etc.
3. Size: max size in 3300*8000mm, any customized size can be made per your requested.
4. Glass color: clear, ultra clear, green, blue, bronze, grey.
5. Glass shape: flat or curved heat soaked laminated glass are available
6. Special processing: Drill holes, cutout, flat polished edge, round safety corner, logo printing, all can be finished according to your requested.

Advantages of 17.52mm 21.52mm ESG VSG glass

1. Sound insulation 17.52mm 21.52mm ESG VSG glass, the PVB interlayer have soundproof function, it's perfect for anywhere which need to be sound proofing.
2. Multilayer: laminated glass are very flexible, to bend, curve and shape, and it can matched with different thickness, multilayer glass panels, 17.52mm 21.52mm EGS VSG glass, 8+8mm 10+10mm tempered laminated glass, when make it as three layers, then 8+8+8mm 10+10+10mm tempered laminated glass for floor.
3. UV protection: blocks out 99% of UV rays, this characteristic makes it excellent for window and skylight applications, protect the furniture not to be fade.
4. Most safety glass: 17.52mm 21.52mm ESG VSG glass, when it is broken, the glass still remain as one piece and in its place, widely used for skylight, canopy, balustrade ,etc.

Tempered glass, Tempered laminated glass and HST tempered laminated glass

1. From the price, HST tempered laminated glass is the most expensive glass.
2. From color: (HST) tempered laminated glass, it not only obtain color from tempered glass, but also multi-color from PVB interlayer by any pantone colors.
3. All of them are belongs to the safety glass, HST tempered laminated glass is the most safety glass. Tempered glass, when it is broken, the small parts is not in sharp, will not hurt for people. For (HST) tempered laminated glass, when the glass broken by outside force, the glass is sticks on the PVB/SGP interlayer, no harmful for people. Heat soaked glass processing is based on the tempered glass, to avoid spontaneous failure in buildings, and the probability of spontaneous breakage was decreased.
4. From applications: Tempered glass is widely used for low rise building, such as balustrade, window, door, table top, etc. Tempered laminated glass and HST tempered laminated glass, they are not only used for low rise building, but also popular used for high rise place, such as balcony, skylight, roof, curtain wall,

even the glass is broken, it is still sticks on the interlayer, the glass will not fall down, most safety for human beings.

5.(HST) tempered laminated glass have all features of tempered glass, also obtained all advantages from laminated glass.

Which kind of laminated glass you can get it from JIMY GLASS FACTORY?

1.Clear laminated float glass, such as [6.38mm clear laminated glass](#), 8.38mm clear laminated glass, 10.38mm clear laminated glass, etc.


2.Color laminated float glass, 6.38mm blue laminated glass, 8.38mm green laminated glass, [10.38mm grey laminated glass](#) ,etc.

3.Tempered laminated glass, such as low iron tempered laminated glass, color tempered laminated glass, [curved tempered laminated glass](#), translucent tempered laminated glass, low e tempered laminated glass, etc.

4.HST tempered laminated glass, such as 13.52mm 17.52mm 21.52mm heat soaked tempered laminated glass, etc.

More details, welcome contact us for details.

17.52mm 21.52mm HST Tempered Laminated Glass



HST 17.52mm 21.52mm ESG VSG glass workshop



Loading the container by JIMY Glass Factory



Application of 17.52mm 21.52mm Heat Soaked Laminated Glass

