

6.38mm Milky White Laminated Glass China Factory

About 6.38mm Milky White Laminated Glass

6.38mm milky white laminated glass is made up of two layers 3mm [clear float glass](#) permanently bonded together with 0.38mm milky white PVB interlayer via a controlled, highly pressurized and industrial heating process. The lamination process results in the glass panels holding together in the event of breakage, reducing the risk of harm. Laminated Glass is classified as Grade A Safety Glass.

6.38mm Milky White Laminated Glass Characteristic

High Security

When laminated glass is attacked by outside force, it is hard to be penetrated because PVB film has strong tenacity and can absorb and weaken a mass of striking energy. Even if it's broken, the splinters will stick to the interlayer and not scatter.

Sound Insulation

PVB film is a kind of organic material and it can block sound waves. Therefore, the laminated safety glass offers better sound insulation performance than the pure glass with the same thickness.

Create aesthetic sense to building

6.38mm laminated glass will beautify the buildings and harmonize their appearances with surrounding views which meet the demand of architects.

6.38mm White Translucent Laminated Glass Available Standard Size


1830x2440mm, 2140x3300mm, 2250x3300mm, 2140x3660mm, 2250x3660mm, 2440x3300mm, 2440x3660mm, any cut to size could be produced as per customer's requirement.

6.38mm White PVB Laminated Glass Application

- Interior partition wall, shower enclosure, stair handrail
- Exterior balcony, balustrade, shopfront, long corridor

- Many Others.

6.38mm Translucent Laminated Glass Sheets



Laminated Glass Production Line



Laminated Glass Autoclave



Laminated Glass Safety Packing

