

# China 5mm 6mm 8mm 10mm 12mm 15mm Tempered Curved Glass Supplier

## About Tempered Curved Glass

The tempered curved glass is produced through the mold shaping by computer control and then quick cooling, it possesses characteristic of both hot bent glass and [tempered glass](#).

## Tempered Curve Glass Characteristic

- In the event of breakage the particles are small and are relatively harmless compared with the sharp splinters resulting from the breakage of annealed glass.
- The tempering process also greatly reduces the risk of thermal breakage.
- Up to five times stronger than annealed glass of the same thickness, making it an ideal safety or security glass.
- All work done on curved tempered glass (beveling, cutting, drilling, etc.) must be done before tempering.
- Allows architects and builders far greater scope in their use of glass in buildings.

## Tempered Curved Glass Specification

Thickness: 5mm 6mm 8mm 10mm 12mm 15mm 19mm

Size: Max: 5600mm\*2400mm, Mini: 400mm\*600mm

5-6mm mini radius: 1000mm

8-12mm mini radius: 1500mm

15-19mm mini radius: 2000mm

Color: clear, ultra clear, grey, green, blue, bronze

Type: Single or laminated or insulated clear, tinted, reflective, acid etched, screen printing, low e glass, etc.

## Tempered Curved Glass Application

- Window and curtain wall systems
- Store and mall fronts
- Partitions and shower enclosures
- Balustrades and elevator enclosures
- Skylights, vaults, slope glazing
- Many other safety glazing

### **Curve Tempered Glass Workshop**



### **China Curved Tempered Glass Machine**



**China Curved Glass Safety Loading**

