[illegible] 8.76 mm [illegible] [illegible]

[illegible] 8.76 mm [illegible]

8.76 mm [illegible] [illegible] [illegible] 2 [illegible] 4 mm [illegible] [illegible] 0.76 mm PVB [illegible] [illegible] [illegible] [illegible] [illegible] A [illegible]

[illegible] 8.76 mm [illegible]

[illegible]

[illegible] PVB [illegible] [illegible] [illegible] [illegible]

[illegible]

PVB [illegible] [illegible] [illegible] [illegible].

[illegible] [illegible]

[illegible] [illegible]

8.76 mm [illegible]

2 [illegible]: [illegible] 4 mm [illegible]PVB [illegible]

[illegible]: [illegible] 3000 * 8000 mm[illegible] 150 * 300 [illegible]

[illegible] [illegible] coud [illegible]

8.76 mm [illegible]

- [illegible]
- [illegible] [illegible] [illegible] [illegible]
- [illegible] [illegible]

• □□□□□

□□□□□□□□□□□□□□□□□

□□□ GB15763.3□□□□□□□□

EN12543□□□□□ □□□□□□□□

□□□ □□□□□ □□□□□□ ANSIZ97.1

□□□ AS/NZS2208□□□□□□□□□□□□

12.76 □ 8.76 □□□□□□ 17.52 mm □□□□□□□□□□□□



□□□□□□□□□□□□





□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□

□□□□□□□□□□