

□ □ □ □ □ □ □ □ □ □ □ □ □ □

[illegible]

□□□□□□□□□□

□ □ □ □ □ □ □ □

[illegible][illegible]

□ □ □ □ □ □ □ □ □ □ □ □

[illegible]

□□□□UV□□□□□□

UV UV

□ □ □ □ □ □ □ □ □ □ □ □

111

□□3000x8000mm□□□□□

□1830x2440mm□2140x3300mm□2250x3300mm□2140x3660mm□2250x3660mm□2440x3660mm□□□□□□
□□□□□□

11

$$3 + 3\text{mm} \square 6.38\text{mm} \square \square 4 + 4\text{mm} \square 8.38\text{mm} \square 8.76\text{mm} \square 9.14\text{mm} \square 9.52\text{mm} \square \square 5 + 5\text{mm}$$

□10.38mm□10.76mm□11.14mm□11.52mm□□6 + 6mm□12.38mm□12.76

13.54mm□13.14mm□13.52mm□□8 + 8mm□16.76mm□17.14mm□17.52mm□□10 + 10mm

□21.14mm□21.52mm□□□□□□□□□□

□□□□□

F

10000000000

PVB□□□□□□□□□□0.38mm□0.76mm□1.14mm□1.52mm□SGP□□□□□□□□□□□□□□□□□□0.89mm□1.52mm□EVA

□□□□ - □□□□□□□□ 0.38mm□0.76mm□ 1.14mm□1.52mm□□□□□□□□□□

□ □ □ □ □ □

low-e

JIMY

□□□□□□□□□□□□□□15□□□□

[illegible][illegible][illegible]



Annealed Glass

Breaks easily, producing long, sharp splinters



Tempered Glass

Shatters completely under higher levels of impact energy, and few pieces remain in the frame



Laminated Glass

May crack under pressure, but tends to remain integral, adhering to the plastic vinyl interlayer



