[illegible]

[illegible] [illegible] [illegible]

[illegible]cal led "[illegible]"[illegible]290℃[illegible] °C ± 10 °C[illegible]'[illegible]HST[illegible]cal led[illegible]

[illegible]

1[illegible]3300 * 12000[illegible]
2[illegible]
3[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
4[illegible]
5[illegible]led[illegible] ...[illegible] [illegible]CAD[illegible] AI[illegible]

[illegible]&[illegible]cal led[illegible]

[illegible]led[illegible]

[illegible]led[illegible]4[illegible]

[illegible]led[illegible]

[illegible]led[illegible] "[illegible]" [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Function and Application			
Main Function	**Geographic Area**	**Building Type**	**Building Part**
Safety	Tropical Zone/Temperate Zone	Office/Shopping Mall/ Hotels and Resorts/ Apartment	Vision/Spandrel/Facade/Railing /Interior Decoration

□□□□□ □ □□□□□ □ □□□ □□□ □□□/ □□□□□ □□□/ □□□□□ □□□

Processed Glass Mainly Procedures

Material Storage Area

Cutting Procedure

Grinding Edges Procedure

Ceramic Frit

Flat&Bent Full Tempered Glass/ Heat Strengthened Glass

Processed Glass Mainly Procedures

Heat Soak Testing Furnace

Dust- free Constant Temperature & Humidity Laminated Glass Production Line

Laminated Glass Furnace



Insulated Glass Procedure



□□□□□□□□□□□□□□□□

CICU 998335 D
4561
MAX GROSS
TARE
NET
CU.CAP
CAUTION
7'5"
HIGH
CONTAINER

□ □□□ □□□□□□ □ □ □ □□□ □□□ □□□□ □ □□□ □□□ □□□□□ □□□□ □ □□□ □□□□□ □□□□□