

## Competitive price 10mm+12a+55.2 low e insulated glass curtain wall supplier

10mm+12a+55.2 low e laminated insulated [glass curtain wall](#), it also called 10mm+12a+55.2 low emissivity toughened laminated insulated glass facade, which is a new type of glass wall, it used by 1pcs of 55.2 low e tempered laminated safety glass with 1pcs of [10mm clear tempered glass](#) to combination, then filled with 12a dry air as energy saving insulated glass curtain wall, perfect for modern architectural glass.

### Advantages of glass curtain wall:

- 1) Light weight: compared with other wall materials, glass curtain wall is quite lighter, reduce the weight of the high-rise building wall, the basis and main structure of the cost, also improve the reliability and safety of the main structure.
- 2) Natural light: compared with the traditional walls, glass curtain walls with high light transmittance, let natural light through the glass into the interior, to make enough indoor light, bring a comfortable environment for humans.
- 3) Energy saving glass, anti-UV radiation, protect interior furniture, etc.
- 4) Fashion design, easy to install and maintain.

### About 10mm+12a+55.2 low emissivity tempered laminated insulated glass for curtain wall

- 1) Flat [low e insulated glass](#) 55.2+12a+10mm or curved low e insulated glass 55.2+12a+10mm for curtain wall, both are available.
- 2) Sound resistant, energy saving glass, Anti-UV, safety glass.
- 3) Dual sealed, for ensuring long useful lifetime.
- 4) Max size in 2500\*4200mm, any customized size as per customer's requested.
- 5) Except for 10mm+12a+55.2 insulated glass, others like 10mm+12a+55.2 insulated glass or 10mm+12a+55.2 insulated glass or 10mm+12a+55.2 insulated glass are available.

### Quality Standard Meet:

- \*\*\* In accordance with EN1279 European insulating glass standard
- \*\*\* In accordance with ASTM E2190 American Standard
- \*\*\* In accordance with GB/T11944 Chinese Standard Insulating Glass

### Which kind of low e insulated glass curtain wall you can get it from Jimy Glass Factory?

- 1) 5mm/6mm/8mm clear tempered glass + 9a/12a/16a/20a + 5mm/6mm/8mm low e tempered glass
- 2) 8mm clear tempered glass + 9a/12a/16a/20a + 55.1 low e laminated glass
- 3) 10mm clear tempered glass + 9a/12a/16a/20a + 55.1 or 55.2 low e laminated glass
- 4) [12mm clear tempered glass](#) + 9a/12a/16a/20a + 66.1 or 66.2 low e laminated glass

.....

More details, welcome you contact us!

### Why buy glass curtain wall from Jimy Glass Factory?

1. Superior quality, each panel of raw glass will be checking one by one, to ensure glass have no bubble, no scratch, high precise flatness.
2. Dual sealed insulated glass, have a long lifetime, 15 years warranty.
3. Fast delivery time: within 10-15 days after the order is confirmed. If urgent order, we can try our best to finished it for you within 10 days.
4. Packaging: fresh new strong export plywood crates with steel belt during transportation.
5. Making customizable documents, buy insurance for you no matter on FOB or CIF terms.

6. More than 23 years experience in glass manufacture and export, will be one of the most friendly and satisfied business partner.

**10mm+12a+55.2 tempered laminated insulated glass**



**Safety insulated glass wall by Jimmy Glass Factory**

