

21.52mm F green color tempered laminated glass curtain wall,10104 F rench green toughened laminated glass roof

Description of 21.52mm french green tempered laminated glass for curtain wall and glass roof price from professional building glass manufacturer.

Glass Structure:1010.4 F green laminated glass is produced by 10mm F green tempered glass + 10mm clear tempered glass with 1.52mm clear PVB film.

Color of glass: F green/French green color. Other colors such like Euro grey is also acceptable.

Color of PVB film: Clear. Other colors are available if you choose both piece of glass in clear color.

Features of green laminated glass curtain wall

- 1.Limits the transmission of ultraviolet radiation.
- 2.Protecting furniture and furnishings from fading.
3. Reducing solar glare and heat transmission.
4. Provides varied degrees of solar control and energy saving.

Factory advantage: With more than 26 years experience for building glass production, we have highly effective equipment for glass cutting, edge grinding,tempering,laminating etc. Also professional workers always try our best to finished every order with high quality and good packing. wholesale F-green Laminated Glass is fabricated with best quality French/light green glass sheet from China. You could send us your detail requirements of green laminated glass curtain wall for inquiry.

Specifications for 10104 French green toughened laminated glass roof

Glass type:	tempered lamianted glass
Glass color	F green or other colors as your design
Glass thickness	10+10mm, other thickness could be acceptable as your requirements.
Glass shape	Fat or curved
Glass size	10+10mm flat tempered laminated glass, the max size we could produce is 3300*6000mm. 10+10mm curved tempered laminated glass, the minimum radius could be 800mm, the maximum arc length could be 1650mm, the height could be 2440mm
Installation	with frame or accessories
Deep process	holes, cuts or edge grinding are acceptable

Certificates:

Tempered laminated glass are produced strictly according to the requirements of the ISO 9001 quality management system certification and meets the following quality standards:

- 1.Chinese Safety Glass standard(CCC).
- 2,BS 6206 certificate of UK safety glass standard
- 3.USA laminated safety glass standard SGCC certificate
- 4.Europe safety glass standard EN 14449 certificate(CE).

The various type of Energy saving building glass for [curtain wall](#), glass roof we could produce.

- 1.tinted tempered laminated glass (Heat soaked could be acceptable)
- 2.[low E double glazing glass](#)
- 3.[Triangle shape safety glass](#)
- 4.[curved tempered laminated glass roof](#)
- 5.[reflective insulated glass](#)


Packing:

Special design plywood crates with metal belts.

10-15cm from the bottom of crates to the ground for easy unloading.

Crates are with Metal belt fixed to the container

Samples for 1010.4 F green laminated glass.



Our warehouse



Production line for tempered laminated glass



Safety packing and delivery



JIMMY
Professional glass manufacturer

Projects with green laminated glass curtain wall and glass roof,glass dome

