

21.52mm tempered laminated glass fin,skylight glass rib support structure curtain wall system

21.52mm tempered laminated glass,we also call 10103 toughened laminated glass ([10mm clear tempered glass](#)+1.52SGP/PVB+10mm clear tempered glass).It can customize size to use as glass fins in structural glazing system.Each fin is a high transparency laminated glass,it can high into the joint between panels using no exposed fasteners.The facade provides literally floor-to-ceiling glass on every floor,the glass itself is very clear.

For those building is clad almost completely in glass curtain wall,the architect inserted a clear laminated glass fin at the joint between every glass panel.Glass fin supported systems exploit the full potential of glass as a structural material,it is the most widely specified support member in structural glass design.

The advantages of glass fin structures:

- Glass fin structures allow maximum clear view.
- Glass rib offer a highly transparent and nice look.
- Glass fins can further reduce building weight.

Specification of tempered laminated glass fins:

Size: Max height 12000mm, and custom size is available.

Glass type: tempered glass, PVB or SGP interlayer [tempered laminated glass](#), silkscreen glass, acid etched tempered glass,etc.

Deep processing: edge polished, drilling holes etc.

Application: store front facade, exterior curtain wall, skylight glass, tall grand lobby etc.

Other glass combination options for glass fin structures:



If 21.52mm tempered laminated glass is not suitable for your structure design,we have more:

Monolithic glass can be:15mm /19mm toughened glass(tinted glass,ultra clear low iron glass, silkscreen printed, acid etched,etc)

Laminated glass can be:6+6+6mm,8+8+8mm,10+10mm,12+12mm,15+15mm PVB or [SGP tempered laminated](#).

You can contact to our term for more details glass information.

Picture of custom glass fin:



Differen design glass rib support structure:



laminated glass facade support fin:

