28mm energy efficient double glazing glass supplier, clear double glazing insulated glass panels ,8mm+12a spacer+8mm double glazing insulated glass.

Double glazing insulated glass combination two or more tempered glass panel together Intermediate adhesive by aluminum frame filled with dry gas which might be low-e glass reflective glass colored glass clear glass curved glass pattern glass heat soak glass etc. The advantage of is high-efficiency soak insulation and proof insulation and it is also beautiful better than ordinary glass. The main materials included glass space divider corner bolt butyl rubber polysulfide sealant drying agent.

The high quality double glazing glass is coated one special metal film inside middle-air space glass , it can high-efficiency soak insulation to prevent sunshine energy . so we also named saving energy glass and be widely use in commercial curtain wall or top building .

Features:

1 High-efficiency saving energy, High performance double glazing glass is coating special metal film can reached 0.22-0.49 Shading coefficient, turn down air-condition cold air indoor, heat transmission for 1.4-2.8W

2[Improve environment, it can prevent some sunshine energy, reduce eyes being dizzy form sunshine light.

3 **Colourful and art,** any color or picture you can design , clear blue green gray bronze. light blue light green grey etc.

Specification:

Glass name: double glazing insulated glass

Color: clear

Overall thickness: 8mm+12a spacer+8mm insulated double glazing glass Features Energy-saving: sun shading/heat preservation/sound insulation

Function: Keep the indoor cooler in summer & warmer in winter.

Sound proof: Good effects for sound insulation.

Single panel thickness: 4-12mm

Max size available in 3230*12000mm, any customized size according to your requested



Application:

Double panel insulated glass adapted to office building, home window, exhibition room, library, chemical factory and so on.







Product line

