13.52mm Clear Tempered Laminated Glass Manufacturers

About 13.52mm Ultra Clear Tempered Laminated Glass

13.52mm Clear Tempered Laminated Glass is made up of two panels 6mm <u>clear tempered</u> <u>glass</u> permanently bonded together with 1.52mm PVB interlayer via a controlled, highly pressurized and industrial heating process. The lamination process results in the glass panels holding together in the event of breakage, reducing the risk of harm. <u>Laminated Glass</u> is classified as Grade A Safety Glass.

Clear Tempered Laminated Glass Characteristic

A. High Security

When laminated glass is attacked by outside force, it is hard to be penetrated because PVB film has strong tenacity and can absorb and weaken a mass of striking energy. Even if it's broken, the splinters will stick to the interlayer and not scatter.

B. Super High Transparency

Clear laminated glass with highly transparency, and the neutral color making the glass perfect to use at where high visibility and clarity are required.

C. Create aesthetic sense to building

Clear laminated glass will beautify the buildings and harmonize their appearances with surrounding views which meet the demand of architects.

Tempered Laminated Glass Quality Standard

In accordance with GB15763.3, Chinese standard

In accordance with EN12543, European standard

In accordance with ANSIZ97.1, American standard

In accordance with AS/NZS2208, Australian standard

664 Clear Tempered Laminated Glass Specification

Size: max 3000*9000mm, mini 150*300mm

Composition: two pieces 6mm clear hardened glass with four layers clear PVB


All the processing done on hardened laminated glass like cut to customized size, polished edges, cut notches, drill holes, etc. must be done before tempering.

13.52mm Clear Tempered Laminated Glass Application

- Shooping mall curtain wall glass, storefront glass, airport skylight glass
- Balustrade glass, long corridor glass, walkway glass, Partitions wall
- Many Others.



Processing Laminated Glass with Drilling Holes, Cutouts and Edge work






Notches Edgework

Difference Between Normal Clear and Low Iron Tempered Laminated Glass



Difference Between Normal Laminated Glass & Tempered Laminated Glass been broken



Tempered Glass Production Plant



Laminated Glass Production Plant



Tempered Laminated Glass Safety Packing and Loading



