

China high quality special-shaped toughened laminated glass suppliers

8+euro grey+white PVB/SGP+8mm special shaped [tempered laminated glass](#) which made by two single [8mm tempered glass](#) panel, middle bonded together with a layer of euro grey and a layer white PVB/EVA/SGP film to make, and then through special high temperature preheating and high temperature and high pressure fabrication processing, to make the glass and PVB/EVA/SGP film Permanent bonding, these glass more safety, even the glass broken, there's no Glass fragments drop off to make any hurt.

Description: abnormal shape [laminated glass](#)/ special-shaped laminated glass /heterotype laminated glass /heteromorphism laminated glass, Special-shaped structure daylighting roof glass dedicated /Special-shaped structure sunroof glass dedicated/ /Special-shaped structure roof of collecting light glass dedicated/ Special-shaped structure Building glass skylight system dedicated/special -shaped structure Building [Roof glazing](#)

Laminated glass Characteristics

- Suitable for safety glazing in selected thickness
- Offers greater personal safety after breakage as it tends to remain intact on the frame.
- Provides additional security over other glass types
- Provides improved sound control due to the sound-deafening capabilities of the PVB / SGP interlayer.
- Offers high resistance against object penetrations thus providing an effective deterrent against forced entry.
- Create aesthetic sense to buildings

Laminated Glass Specifications

Shape	Flat, Curve, Hot bent
Processing	Polished edge (flat edge, bevel edge, round edge, pencil edge, ogee edge, etc.) Drill holes, Cut notches, Silkscreen, Painted, Frosted, Acid etched, etc.
Size:	Max3000*8000mm; Mini:300*300mm; Normal:1830*2440mm,2140*3300mm,2250*3660mm,etc.
PVB / SGP Color	Clear, Green, Blue, Bronze, Grey, Milky white ,pink, red, etc.
Glass Color	Clear, Extra Clear, French Green, Dark Green, Ford Blue, Dark Blue, Bronze, Euro Grey etc.
Glass Type	Common laminated glass, tempered laminated glass, Coated laminated glass, Low-E laminated glass, Silkscreen laminated glass, Bulletproof laminated glass, Fireproof laminated glass, AR laminated glass, Wire laminated glass, Metal mesh laminated glass, Frosted laminated glass, etc.
Thickness	3+0.38+3mm, 4+0.38+4mm, 5+0.76+5mm, 6+0.76+6mm, 8+1.14+8mm, 10+1.52+10mm, etc.
Quality	Meet a criterion of the National GB / 9962-1999 & CE and ANSI Z97.1-2015

Below picture is the single panel glass which already cut to size, polished and washing well and finished tempered processed. Its is special-shaped tempered glass



The finished glass product after boned of a layer of euro grey PVB/SGP film, it is special shaped tempered laminated glass panel show as below:



Special-shaped white grey structure tempered laminated sunroof glass project:

