8.76mm 10.76mm translucent tempered laminated glass for balustrade

Nowadays glass balustrade panels more and more widely to be used for commercial exterior or interior decorative. Glass balustrade panels can be either toughened glass or laminated safety glass. Frosted laminated glass compared with acid etched tempered glass, both of them are the excellent quality glass:

1. From price, 8mm <u>10mm acid etched tempered glass</u> will be cheaper than 8.76mm 10.76mm frosted laminated safety glass.

2. From safety, 8.76mm 10.76mm translucent tempered laminated glass, it is more suitable used for highrise place, even it is broken, the glass still sticks to the PVB interlayer, will not fall down.

8.76mm 10.76mm translucent tempered laminated glass balustrade, widely used for interior handrail railing or balcony railing or exterior balustrade handrail or swimming pool fence.

The specifications of 44.2 55.2 opaque white toughened laminated glass for handrail railing

- 44.2 55.2 opaque white tempered laminated glass, the glass composition by <u>4mm clear tempered</u> <u>glass</u>+0.76mm opaque white PVB+4mm clear tempered glass, 5mm clear toughened glass+0.76mm obscure PVB+<u>5mm clear toughened glass</u>

- Glass size: max size can be reached to 3300*8000mm, mini size 150*300mm

- Special requested can be made, including logo printing, cutout, drill holes, polished edge, bevel edge, safety round corner, etc.

The advantages of 8.76mm 10.76mm obscure laminated safety glass railings


1. High light transmittance, more bright and space, and protect privacy, natural light easily passes to your home, and create a sense of space with a touch of natural splendor and elegance.

2. From glass shape, it support curved or flat shape, do your own design. And available in different colors and textures.

3. Safety and durability, easy to clean and maintain. even it is broken by outside, have no harmful for people. The laminated glass is a great choice for any areas in our life.

4. High precise flatness, easy to install. Passed CE certified. CE certified NO.: NB0336

8.76mm 10.86mm apaque white tempered laminated glass



Loading the container by Jimy Glass Factory

