

## **6.38mm Clear Laminated Glass China Supplier**

### **About 6.38mm Clear Laminated Glass**

6.38mm clear laminated glass is made up of two layers 3mm [clear float glass](#) permanently bonded together with 0.38mm clear PVB interlayer via a controlled, highly pressurized and industrial heating process. The lamination process results in the glass panels holding together in the event of breakage, reducing the risk of harm. Laminated Glass is classified as Grade A Safety Glass.

### **6.38mm Clear Laminated Glass Characteristic**

#### **High Security**

When laminated glass is attacked by outside force, it is hard to be penetrated because PVB film has strong tenacity and can absorb and weaken a mass of striking energy. Even if it's broken, the splinters will stick to the interlayer and not scatter.

#### **Sound Insulation**

PVB film is a kind of organic material and it can block sound waves. Therefore, the laminated safety glass offers better sound insulation performance than the pure glass with the same thickness.

#### **Create aesthetic sense to building**

6.38mm laminated glass will beautify the buildings and harmonize their appearances with surrounding views which meet the demand of architects.

### **6.38mm Clear Laminated Glass Available Standard Size**

1830x2440mm, 2140x3300mm, 2250x3300mm, 2140x3660mm, 2250x3660mm, 2440x3300mm, 2440x3660mm, any cut to size could be produced as per customer's requirement.

### **6.38mm Clear Laminated Glass Application**

- Interior partition wall, shower enclosure, stair handrail
- Exterior balcony, balustrade, shopfront, long corridor

- Many Others.

### **6.38mm Transparent Laminated Glass Warehouse**



### **Laminated Glass Production Line**



**Laminated Glass Autoclave**



**Laminated Glass Safety Packing**

